

# SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006

Version 1.0  
Revision Date 20/05/2020  
Generic EU SDS

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

---

### 1.1 Product identifiers

Product name : **CP1500**  
Product Number : CP1500\_01  
Brand : AINTECH  
REACH No. : A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration, or the registration is envisaged for a later registration deadline.  
  
CAS-No. : 7440-50-8 (copper powder)

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Conductive inks and pastes, sintering for circuits.

### 1.3 Details of the supplier of the safety data sheet

Producer  
Company : AINTECH SpA (RUC 76.951.378-7)  
Address : Exequiel Fernandez 3397, Santiago, Macul, Chile  
Telephone : +56 9 9015 9946

### 1.4 Emergency telephone number

070 245245 (Anti-poison centre)

## SECTION 2: Hazards identification

---

### 2.1 Classification of the substance or mixture

*Classification according to Regulation (EC) No 1272/2008*

Acute toxicity, Oral (Category 4), H302  
Skin irritation (Category 2), H312  
Eye irritation (Category 2), H319  
Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335  
Specific target organ toxicity - repeated exposure, Oral (Category 2), Gastrointestinal tract, H373  
Short-term (acute) aquatic hazard (Category 1), H400

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word                      Warning

Hazard statement(s)

H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H373	May cause damage to organs (Gastrointestinal tract) through prolonged or repeated exposure if swallowed.
H400	Very toxic to aquatic life.

Precautionary statement(s)

P264	Wash thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

Supplemental Hazard Statements              none

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Synonyms	: Microstructured copper Metallic copper
Formula	: Cu <sup>0</sup>
Molecular weight	: 63.55 g/mol
CAS-No.	: 7440-50-8
EC-No.	: 231-159-6

Component	Classification	Concentration
Metallic copper	Acute Tox. 4; Skin Irrit. 2; Eye Dam. 2; STOT SE 3; STOT RE 2; Aquatic Acute 1; H302, H317, H319, H335, H373, H400 M-factor - Aquatic Acute: 10	= 99.99%

For the full text of the H-Statements mentioned in this Section, see Section 16.

Formula	: Cu <sup>0</sup>
Molecular weight	: 63,55 g/mol
CAS-No.	: 7440-50-8
EC-No.	: 231-159-6

Unnecessary to show specific composition as a result of applicable regulations

## **SECTION 4: First aid measures**

---

### **4.1 Description of first aid measures**

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### **4.2 Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

### **4.3 Indication of any immediate medical attention and special treatment needed**

No data available

## **SECTION 5: Firefighting measures**

---

### **5.1 Extinguishing media**

Suitable extinguishing media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### **5.2 Special hazards arising from the substance or mixture**

Copper oxides

---

### **5.3 Advice for firefighters**

Wear self-contained breathing apparatus for firefighting if necessary.

### **5.4 Further information**

Use water spray to cool unopened containers.

## **SECTION 6: Accidental release measures**

---

### **6.1 Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

### **6.2 Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### **6.3 Methods and materials for containment and cleaning up**

Pick up and arrange disposal without creating dust. Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

### **6.4 Reference to other sections**

For disposal see section 13.

## **SECTION 7: Handling and storage**

---

### **7.1 Precautions for safe handling**

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition - No smoking. Take measures to prevent the build-up of electrostatic charge.

For precautions see section 2.2.

### **7.2 Conditions for safe storage, including any incompatibilities**

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

## SECTION 8: Exposure controls/personal protection

---

### 8.1 Control parameters

Components with workplace control parameters

### 8.2 Exposure controls

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### Personal protective equipment

##### *Eye/face protection*

Face shield and safety glasses. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

##### *Skin protection*

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

##### Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

##### Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail [sales@kcl.de](mailto:sales@kcl.de), test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### *Body Protection*

Complete suit protection against chemicals, flame retardant and anti-static. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### *Respiratory protection*

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### *Control of environmental exposure*

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

---

## **SECTION 9: Physical and chemical properties**

---

### **9.1 Information on basic physical and chemical properties**

a) Appearance	Form: Dry powder Color: Brown
b) Hydrodynamic diameter	1800 nm
c) Size	1500 nm
d) Morphology	Spherical
e) Crystalline structure	Metallic
f) Purity	99.99%
g) Odor	No data available
h) Odor Threshold	No data available
d) pH	No data available
e) Melting point/ freezing point	1083°C
f) Initial boiling point and boiling range	2567°C
g) Flash point	No data available
h) Evaporation rate	No data available
i) Flammability (solid, gas)	Not flammable
j) Upper/lower flammability or explosive limits	No data available
k) Vapor pressure	No data available
l) Vapor density	No data available

m) Relative density	No data available
n) Water solubility	Can be disperse in water
o) Partition coefficient: octanol/water	No data available
p) Auto-ignition temperature	No data available
q) Decomposition temperature	No data available
r) Viscosity	No data available
s) Explosive properties	No data available
t) Oxidizing properties	No data available

## 9.2 Other safety information

No data available

## SECTION 10: Stability and reactivity

---

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

Heat, flames and sparks.

### 10.5 Incompatible materials

Strong acids, Strong oxidizing agents

### 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Copper oxides

Other decomposition products - No data available

In the event of fire: see section 5

## **SECTION 11: Toxicological Information**

---

### **11.1 Information on toxicological effects**

#### Acute toxicity

LD50 Oral - Rat - female - >5000 mg/kg  
(OECD Test Guideline 401)  
Remarks: (in analogy to similar products)

#### Skin corrosion/irritation

Skin - Rabbit  
Result: Moderate skin irritation  
Remarks: (in analogy to similar products)

#### Respiratory or skin sensitization

Maximization Test - Guinea pig  
Result: negative  
(OECD Test Guideline 406) Remarks: Aqueous solution  
Remarks: (in analogy to similar products)

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

No data available.

#### Reproductive toxicity

No data available

#### Specific target organ toxicity - single exposure

May cause respiratory irritation. – Respiratory system

#### Specific target organ toxicity - repeated exposure

Ingestion - May cause damage to organs through prolonged or repeated exposure. - Gastrointestinal tract

#### Aspiration hazard

No data available

#### Additional Information

RTECS: GL5325000

Symptoms of systemic copper poisoning may include capillary damage, headache, cold sweat, weak pulse, and kidney and liver damage, central nervous system excitation followed by depression, jaundice, convulsions, paralysis, and coma. Death may occur from shock or renal failure. Chronic copper poisoning is typified by hepatic cirrhosis, brain damage and demyelination, kidney defects, and copper deposition in the cornea as exemplified by humans with Wilson's disease. It has also been reported that copper poisoning has led to hemolytic anemia and accelerates arteriosclerosis., Damage to the lungs., Vomiting,



Diarrhea, Abdominal pain, Blood disorders

RTECS: BQ7875000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

## **SECTION 12: Ecological information**

---

### **12.1 Toxicity**

Toxicity to fish                      No data available

Toxicity to daphnia other aquatic invertebrates                      No data available

Toxicity to algae                      No data available

### **12.2 Persistence and degradability**

Copper: Not applicable for inorganic substances  
Remarks: (ECHA)

### **12.3 Bioaccumulative potential**

Bioaccumulation:                      No data available

### **12.4 Mobility in soil**

No data available

### **12.5 Results of PBT and vPvB assessment**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **12.6 Other adverse effects**

Very toxic to aquatic life.  
Avoid release to the environment.

## **SECTION 13: Disposal considerations**

---

### **13.1 Waste treatment methods**

#### Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed

disposal company.

Contaminated packaging

Dispose of as unused product.

## **SECTION 14: Transport information**

---

### **14.1 UN number**

ADR/RID: 3089 3077	IMDG: 3089 3077	IATA: 3089 3077
-----------------------	--------------------	--------------------

### **14.2 UN proper shipping name**

ADR/RID:	METAL POWDER, N.O.S. (Copper)
IMDG:	METAL POWDER, N.O.S. (Copper)
IATA:	METAL POWDER, N.O.S. (Copper)

### **14.3 Transport hazard class(es)**

ADR/RID: 4.1 9	IMDG: 4.1 9	IATA: 4.1 9
-------------------	----------------	----------------

### **14.4 Packaging group**

ADR/RID: III	IMDG: III	IATA: III
--------------	-----------	-----------

### **14.5 Environmental hazards**

ADR/RID: yes    IMDG Marine pollutant: yes    IATA: yes

### **14.6 Special precautions for user**

#### **Further information**

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packaging's and combination packaging's containing inner packaging's with Dangerous Goods > 5L for liquids or > 5kg for solids.

## **SECTION 15: Regulatory information**

---

### **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

## 15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

## SECTION 16: Other information

---

Full text of H-Statements referred to under sections 2 and 3.

H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H373	May cause damage to organs (Gastrointestinal tract) through prolonged or repeated exposure if swallowed.
H400	Very toxic to aquatic life.

### Further information

Copyright 2020 Aintech SpA License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aintech SpA, its Affiliates and Globuz bv-Nanometals shall not be held liable for any damage resulting from handling or from contact with the above product. See the reverse side of invoice or packing slip for additional terms and conditions of sale.